TIME: 2 Hrs.

Current Yr.

b) If $f(x) = 2x^3 - 9x^2 - 24x + 69$, find the values of x, for which the function f(x)

(i) Increasing (ii) decreasing rocluded are compulsory as decreasing (ii) decreasing (ii) decreasing (iii) d

2) Figures to the right indicate full marks.

c) The total cost function is, bewells eigotalualso slamid (8 is the number of produced. Find Q for which average cost is decreasing. Find also the

Q.1. a) Draw an ogive for the following data; Hence locate (i) Median (ii) Q1 & Q3

	Age in years	No. of insurance policy holders
	10-14 year the f	10
	14-18	a) (i) Find $\frac{d^2y}{dt}$ for $y = x^6e^x$.
	18 - 22	15 ×b
	22 - 26	30 Find liment a 1 - 3 OE
(4)	26-30	20 O Marie (1)

Laupe b) The mean wage of 200 workers working in three shifts in a factory is Rs. 520.

The average of 90 workers working in the first shift is Rs. 500. The average of 60 workers working in the second shift is Rs. 450. What is the average of workers working in the third shift. (4)

Base Yr. Current Yr. (5)c) Write short Note on cost of living Index.

Q. 2. A) Prices of a particular commodity for five yrs. in two cities A and B are give

belowing datawolog. D. for the following datawoled Find Mean and standard deviation for the cities. Which city has more stable price? No. of tubes Life in hours

> 19 Price in city A (Rs.) 20 22 1201-095 20 18 Price in city B (Rs.) 10

b) Find the cost of living index No. using family budget method for the following data.

	Commodity	Price	Quantity	
		BaseYr	Current Yr	X.O
(5)	A	4	6	*9. *x=15 (i)
	В	20	25	7gol. x = 25(ii)
. Find the	s given b D = 16	i q ai 4 inn ati m	8	6 (i) 06 he deman
Miles	Q D	25	outw pool 350 CLD	b) (i) of he deman
	E .4 s	when the price is	e of demand p,	8

en the price of the good (x) neyion(3) (4) for (ii) The supply X of good who $S = 3E^2 \ge 4_x$ Find the rate of change of supply when the price is 2 (5)

(5)Find f(2), f(4), f(4.5)

b) If $f(x) = 2x^3 - 9x^2 - 24x + 69$, find the values of x, for which the function f(x) is

(i) Increasing (ii) decreasing to a location of the state of the

MGA EMI

c) The total cost function is, C= Q³ - 100 Q² + 15Q, where Q is the number of unit produced. Find Q for which average cost is decreasing. Find also the value of Q for which the average cost is minimum. (5)

b) For the following data lesbeyre's and paasche's Index No. are equal.

Find X

(6)

Commodity	Price in Rs. Price of the guide Quantity			
	Base Yr.	Current Yr.	Base Yr.	Current Yr.
A	4	st of light index.	ort Bate on co	c 6 Write since
В	6	x	4	4
THES A AND B RIC SIVE	eyrs. in two o	commodity for five	a particular c	O.Q. A) Prices of

c) Calculate Q. D. and coefficient of Q.D. for the following data: old (5)

Life in hours	No. of tubes		le price?
600 - 800	20	20	
800 - 1000	2.2 2.5	60	ein city A (Rs.)
1000 - 1200	20	80	e in city B (Rs.)
1200 - 1400		30	
1400 - 1600	umai gaisii .	10	the cost of living

Q.4. a) Find dy where

(i)
$$y = x^3 . e^x$$

(ii) $y = x^7 . \log 7$

- b) (i) The demand D of a good when its price is P is given by D = 16. Find the rate of change of demand p, when the price is 4.
 - (ii) The supply S of a good when the price of the good is P is given by $S = 3P^2 + 4$. Find the rate of change of supply when the price is 2 (5)

Find ((2), f(4), f(4.5)

c) (i) Lim
$$\frac{x^2 - 9}{x - 3}$$
 Evaluate

(ii) Lim
$$x$$
 Evaluate $x \rightarrow 0$ $\sqrt{9 - x + x^2 - 3}$ (5)

OR

- a) For the first year, the fixed cost for setting up a new electronic calculators company is Rs. 3,00,000. The variable cost for producing a calculator is Rs. 70. The company expects the revenue from the sales of the calculator to be Rs. 270 per calculators. Find the minimum number of calculators that should be produced and sold in the first year to ensure no Loss. (5)
- b) Find Fisher's Index number from the following data. Also find Dorbish Bowlery Index No.

Commodity	Base year.		current year		
	Price	Quantity	Price	Quantity	(6)
Α	3	75	4	80	
В	4	100	5	120	
C .	7	125	8	125	
D	8	25	7	60	-(5)

c) The A.M. and S. D. of the values of 100 items in a group are 80 and 5. In a second group of 25 items. each item has a value equal to 60. Find the A.M. and the S.D. of the values of the 125 items of the two groups taken together

